

KCA Laboratories

232 North Plaza Drive Nicholasville, KY 40356 +1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

DZ-2GDS-ALIENMINTZ

Sample ID: SA-241204-52983 Batch: 24339AMT2Al Type: Finished Product - Inhalable Matrix: Concentrate - Vape Unit Mass (g):

Received: 12/05/2024 Completed: 12/18/2024 Client

Dazed 242 W Main St #364 Hendersonville, TN 37075





Summary

TestCannabinoids

Date Tested 12/18/2024

Status Tested

Internal Standard Normalization

ND	73.8 %	98.6 %	Not Tested	Not Tested
Δ9-ΤΗС	Δ9-ΤΗСΑ	Total Cannabinoids	Moisture Content	Foreign Matter

Cannabinoids by GC-MS/MS

,	LOD	LOQ	Result	Result
Analyte	(%)	(%)	(%)	(mg/g)
CBC	0.0095	0.0284	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBN	0.0056	0.0169	0.0528	0.528
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	0.632	6.32
Δ8-iso-THC	0.0067	0.02	0.112	1.12
Δ8-THC	0.0104	0.0312	23.9	239
Δ8-THCV	0.0067	0.02	0.103	1.03
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	73.8	738
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
Total Δ9-THC			64.7	647
Total			98.6	986

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA* 0.877 + Δ9-THC; Total CBD = CBDA* 0.877 + CBD;

Generated By: Ryan Bellone CCO

CCO Date: 12/18/2024 Tested By: Scott Caudill Laboratory Manager Date: 12/18/2024









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.