https://kcalabs.com

1 of 1

MODUS Upper Cut Blend 3.0 - Lemon Cherry Gelato

Sample ID: SA-231107-29583

Batch: 100300

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Collected: 11/06/2023 Received: 11/10/2023 Completed: 11/21/2023 Client

MODUS

5143 Port Chicago Hwy, Suite C

Concord, CA 94520



Summary

Test

Cannabinoids

Date Tested 11/21/2023

Status Tested

ND Total ∆9-THC

88.4% Δ8-ΤΗС 91.7 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	1.68	16.8
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	0.291	2.91
Δ8-iso-THC	0.0067	0.02	1.10	11.0
Δ8-ΤΗС	0.0104	0.0312	88.4	884
Δ8-ΤΗCV	0.0067	0.02	0.266	2.66
Δ9-ΤΗС	0.0076	0.0228	ND	ND
Δ9-ΤΗCV	0.0069	0.0206	ND	ND
Total Δ9-THC			ND	ND
Total			91.7	917

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THC4 * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Tested By: Scott Caudill Laboratory Manager Date: 11/21/2023



Accreditation #108651





Generated By: Ryan Bellone CCO Date: 11/21/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.