KCA Laboratories 232 North Plaza Drive

kca

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Status

Tested

Yes

Internal Standard Normalization

Result

(mg/g)

ND

ND

ND

ND

ND

ND

15.8

ND

2.95

9.95

821

2.57

ND

ND

ND

852

1 of 1

Nicholasville, KY 40356 **MODUS Upper Cut Blend 3.0 - Watermelon Zkittles** Client Sample ID: SA-231107-29589 Collected: 11/06/2023 MODUS Batch: 100300 Received: 11/10/2023 Type: Finished Product - Inhalable 5143 Port Chicago Hwy, Suite C Completed: 11/21/2023 Matrix: Concentrate - Vape Concord, CA 94520 Unit Mass (g): USA Summary Test Date Tested 11/21/2023 Cannabinoids ND 85.2 % Not Tested Not Tested 82.1 % Moisture Content Total Cannabinoids Total ∆9-THC **∆8-THC** Foreign Matter Cannabinoids by HPLC-PDA and/or GC-MS/MS LOD Result LOQ Analyte (%) (%) (%) CBC 0 0095 0.0284 ND CBCV 0.006 0.018 ND CBD 0.0081 0.0242 ND CBDV 0.0182 ND 0.0061 CBG 0.0057 0.0172 ND CBL 0.0112 0.0335 ND CBN 0.0169 0.0056 158 CBT 0.018 0.054 ND ∆4.8-iso-THC 0.0067 0.02 0.295 ∆8-iso-THC 0.0067 0.02 0.995 ∆8-THC 0.0104 0.0312 82.1 ∆8-THCV 0.0067 0.257 ∆9-THC 0.0076 0.0228 ND A9-THCV 0.0069 0.0206 ND Total Δ9-THC ND Total 85.2 ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 11/21/2023

Tested By: Scott Caudill Laboratory Manager Date: 11/21/2023





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.