1 of 1

MODUS Tap Out Blend 3.0 - Lemon Vuitton

Sample ID: SA-231107-29592

Batch: 100400

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (q):

Collected: 11/06/2023 Received: 11/10/2023 Completed: 11/21/2023 Client

MODUS 5143 Port Chicago Hwy, Suite C

Concord, CA 94520

IISΔ



Summary

TestCannabinoids

Date Tested 11/21/2023

Status Tested

NDTotal Δ9-THC

81.4 % Δ8-THC 84.8 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA and/or GC-MS/MS

	LOD	LOQ	Result	Result
Analyte	(%)	(%)	(%)	(mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	1.64	16.4
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	0.352	3.52
Δ8-iso-THC	0.0067	0.02	1.13	11.3
Δ8-ΤΗС	0.0104	0.0312	81.4	814
Δ8-THCV	0.0067	0.02	0.264	2.64
Δ9-ΤΗС	0.0076	0.0228	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Total Δ9-THC			ND	ND
Total			84.8	848

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone

CCO

Tested By: Scott Caudill Laboratory Manager Date: 11/21/2023









Date: 11/21/2023

Date: 11/21/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories can provide measurement uncertainty upon request.