KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

MODUS VVS Blend - Tiger's Blood

	alable	Collected: 11/06/2023 Received: 11/10/2023 Completed: 11/27/2023		MODUS 5143 Port C	5143 Port Chicago Hwy, Suite C Concord, CA 94520	
	The second secon					
			C			
			Summar	-		
S			Test	Date Tested	Status	
			Cannabinoids	5 11/27/2023	Tested	
THE-A						
ND	91.3 %	95.2 %	Not Tested	Not Tested	Yes	
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Conten	t Foreign Matter	Internal Standard Normalization	
Analyte	LOD (%)		LOQ <(%)	Result (%)	Result (mg/g)	
BC	0.0095		.0284	ND	ND	
BCA	0.0181		0.0543	ND	ND	
BCV	0.006		0.018	ND	ND	
3D	0.0081		.0242	ND	ND	
3DA	0.0043		0.013	ND	ND	
BDV	0.0061		0.0182	ND	ND	
BDVA	0.0021		.0063	ND	ND	
BG	0.0057		0.0172	ND	ND	
BGA	0.0049		0.0147	ND	ND	
BL BLA	0.0112		0.0335	ND	ND	
	0.0124			ND	ND	
	0.0056		0.0169	2.15	21.5	
BNA	0.006		0.0181	ND	ND	
	0.018		0.054 0.02	ND 0.327	ND 3.27	
	0.0067 0.0067		0.02		11.0	
4,8-iso-THC	0.0067		0.02	1.10 91.3		
4,8-iso-THC 8-iso-THC	0.010/			21.2	017	
4,8-iso-THC 8-iso-THC 8-THC	0.0104				913	
4,8-iso-THC 8-iso-THC 8-THC 8-THCV	0.0067		0.02	0.286	2.86	
4,8-iso-THC 8-iso-THC 8-THC 8-THCV 9-THC	0.0067 0.0076	c	0.02	0.286 ND	2.86 ND	
4,8-iso-THC 8-iso-THC 8-THC 8-THCV 9-THC 9-THCA	0.0067 0.0076 0.0084	C	0.02 0.0227 0.0251	0.286 ND ND	2.86 ND ND	
4,8-iso-THC 8-iso-THC 8-THC 8-THCV 9-THC 9-THCA 9-THCA 9-THCV	0.0067 0.0076 0.0084 0.0069		0.02 0.0227 0.0251 0.0206	0.286 ND ND ND	2.86 ND ND ND	
BT 4,8-iso-THC 8-iso-THC 8-THC 8-THCV 9-THC 9-THCA 9-THCV 9-THCV 9-THCVA 0-THCVA 0-THCVA	0.0067 0.0076 0.0084		0.02 0.0227 0.0251	0.286 ND ND	2.86 ND ND	

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 11/27/2023

Tested By: Scott Caudill Laboratory Manager Date: 11/27/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.