CERTIFICATE OF ANALYSIS



Biominerales Pharma Customer: 3790 SW 30th Ave

Fort Lauderdale, FL 33312

Batch #: 122322

Laboratory Number: ATL-11023

Report Issue Date: 12/27/2022

Order Date: 12/23/2022

Analysis Date: 12/26/2022

Extraction Technician: LL

Analytical Chemist: LL

Hernan Prieto Laboratory Manager

Results

mg/gummy

%

N/D

N/D

N/D

N/D

0.04

N/D

Sample Description:

D8-THCP Gummy - Mixed Fruit Flavors

Unit Weight: 8.2174g / Gummy

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.06	N/D	N/D	THCV-A	<0.06	N/D	N/D
CBDV	<0.03	N/D	N/D	CBN	<0.03	N/D	N/D
CBD-A	<0.03	N/D	N/D	D9-THC	<0.03	N/D	N/D
CBG-A	<0.03	N/D	N/D	D8-THC	<0.03	296.40	3.61
CBG	<0.02	N/D	N/D	9R-D10-TH	C <0.02	N/D	N/D
CBD	<0.01	N/D	N/D	9S-D10-TH	€ <0.02	N/D	N/D
THCV	<0.01	N/D	N/D	9R-HHC	<0.01	N/D	N/D

	/	
98-ННС	<0.01	N/D
СВС	<0.06	N/D
CBC-A	<0.03	N/D
THC-A	<0.03	N/D
D9-THCP	<0.03	3.12
D8-THCO	<0.02	N/D

LOQ

(mg/g)

Analyte

	Max Active THC	mg/gummy	%
1		N/D	N/D
	Max Active CBD	mg/gummy	%
L		/ N/D/ /	N/D

Total Active	mg/gummy	%
Cannabinoids	299.52	3.65
Total	mg/gummy	%
Cannabinoids	299.52	3.65

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidivarinic Acid(CBDVA) Cannabidivari Tetrahydrocannabinol(GSC) Cannabichvarini(CBCA) Tetrahydrocannabinol(CBCA) Tetrahydrocannabinol(GSC) Cannabichvarini(CBCA) Tetrahydrocannabinol(GSC) Cannabichvarini(CBCA) Tetrahydrocannabinol(GSC) Tet

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)







