



Certificate of Analysis
Compliance Test

Client Information:

SIMPLE INC.
980 W 17TH ST
STE F
SANTA ANA, CA 92706

Batch # 0007
Batch Date: 2023-11-30
Extracted From: Hemp

Test Reg State: Florida

Order # SIM231130-180001
Order Date: 2023-11-30
Sample # AAFB965

Sampling Date: 2023-12-05
Lab Batch Date: 2023-12-05
Completion Date: 2023-12-11

Initial Gross Weight: 57.955 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg



Product Image

Delta 8/Delta 10 Potency 13- (LCUV) + Potency 25 (LCUV)

Tested
SOP13.001 (LCUV)

Specimen Weight: 102.940 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	10.000	2.60E-5	0.015	821.9900	82.1990
THCA-A	10.000	3.20E-5	0.015	76.1100	7.6110
CBN	10.000	1.40E-5	0.015	9.3000	0.9300
Delta9-THCP *	10.000	1.17E-5	0.012	7.6680	0.7668
CBNA	10.000	9.50E-5	0.015	6.4270	0.6427
Delta-8 THCV	10.000	4.00E-5	0.015	5.6700	0.5670
CBC	10.000	1.80E-5	0.015	4.5000	0.4500
CBL	10.000	3.50E-5	0.015	2.2390	0.2239
Delta8-THCP *	10.000	3.75E-4	0.015	0.4514	0.0451
THCVA	10.000	4.70E-5	0.015	0.3826	0.0383
CBD	10.000	5.40E-5	0.015	0.2500	0.0250
CBGA	10.000	8.00E-5	0.015	0.2300	0.0230
CBG	10.000	2.48E-4	0.015	0.1600	0.0160
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
Delta-10 THC	10.000	3.00E-6	0.015	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.015	<LOQ	<LOQ
Delta6a10a-THC	10.000	8.47E-5	0.015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.015	<LOQ	<LOQ
CBT	10.000	2.00E-4	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.0163	<LOQ	<LOQ
Total Active CBD	10.000			0.250	0.025
Total Active THC	10.000			66.748	6.675

Potency Summary

Total Delta 8 82.199% 2465.97 mg	Total Delta 10 None Detected
Total Active THC 6.675% 200.25 mg	Total Active CBD 0.025% 0.75 mg
Total CBG 0.036% 1.08 mg	Total CBN 1.494% 44.82 mg
Other Cannabinoids 2.086% 62.582 mg	Total Cannabinoids 92.515% 2775.452 mg

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13- (LCUV) + Potency 25 (LCUV)

Aixia Sun
Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

