

pH Solutions, LLC 181 W. Huntington Dr. Monrovia, CA 91016

(626) 734-6620 /www.phsolutionslab.com Lic# C8-0000022-LIC

1 of 1

## SFV\_OG\_8th

Lab ID: 231204-700-BIOP-3 METRC Batch: ; METRC Sample: Sample ID: 2403PHS0441.1487 Strain: SFV\_OG\_8th Matrix: Plant Type: Preroll Sample Size: ; Batch:

Produced: Collected: Received: Completed: 03/27/2024 Batch#:

Producer 360 Biopharma-The Plug Lic.# 750 E Jefferson Blvd Los Angeles, CA 90011


Summary

Test

Date Tested

Result

Pass



18.962%		ND Total CBD		<b>19.575%</b> Total Cannabinoids
Total THC				
Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
HCa	0.01	0.01	21.355	213.55
9-THC	0.01	0.01	0.234	2.34
8-THC	0.01	0.01	ND	ND
HCVa	0.01	0.10	0.137	1.37
łCV	0.01	0.10	ND	ND
3Da	0.01	0.01	ND	ND
3D	0.01	0.01	ND	ND
3DVa	0.01	0.10	ND	ND
3DV	0.01	0.10	ND	ND
3N	0.01	0.10	ND	ND
3Ga	0.01	0.10	0.562	5.62
3G	0.01	0.10	ND	ND
BC	0.01	0.10	ND	ND
otal THC			18.962	189.620
otal CBD			ND	ND
otal			22.288	222.88

Notes:

Total THC = (THCa \* 0.877) + <u>0</u>9-THC; Total CBD = (CBDa \* 0.877) + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeled;

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Raquel Keledjian Lab Director 03/27/2024

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian