

CERTIFICATE OF ANALYSIS



Customer: Fresh Farm.
151 Kalmus Dr, Suite L3
Costa Mesa, CA 92626

Batch #: -
Laboratory Number: ATL-22125

Report Issue Date: 6/26/2024
Order Date: 6/25/2024
Analysis Date: 6/26/2024

Sample Description:

THCA Pre Roll with Diamond - Astro Funk

Unit Weight: 2g / Pre roll



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	243.320	12.166
CBG-A	<0.008	12.160	0.608
CBG	<0.007	1.140	0.057
CBD	<0.008	7.940	0.397
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	0.840	0.042
CBN	<0.011	N/D	N/D
D9-THC	<0.014	1.960	0.098
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	0.960	0.048
CBC-A	<0.005	11.540	0.577
THC-A	<0.005	167.740	8.387

Max Active THC	mg/preroll	%
	149.07	7.45

Total Active Cannabinoids	mg/preroll	%
	394.02	19.70

Max Active CBD	mg/preroll	%
	221.33	11.07

Total Cannabinoids	mg/preroll	%
	447.60	22.38

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDa) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabinol(THC) Tetrahydrocannabinolic Acid(THCA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

