

# CERTIFICATE OF ANALYSIS



**Customer:** Fresh Farm.  
151 Kalmus Dr, Suite L3  
Costa Mesa, CA 92626

**Batch #:** -  
**Laboratory Number:** ATL-22123

**Report Issue Date:** 6/26/2024  
**Order Date:** 6/25/2024  
**Analysis Date:** 6/26/2024

**Sample Description:**

THCA Pre Roll with Diamond - Diesel Truck

**Unit Weight:** 2g / Pre roll



**Extraction Technician:** LL  
**Analytical Chemist:** LL

*Kim Dang*  
Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	264.200	13.210
CBG-A	<0.008	13.080	0.654
CBG	<0.007	1.260	0.063
CBD	<0.008	8.740	0.437
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	1.260	0.063
CBN	<0.011	N/D	N/D
D9-THC	<0.014	2.200	0.110
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	1.080	0.054
CBC-A	<0.005	12.700	0.635
THC-A	<0.005	237.160	11.858

<b>Max Active THC</b>	mg/preroll	%
	210.19	10.51

<b>Total Active Cannabinoids</b>	mg/preroll	%
	476.69	23.83

<b>Max Active CBD</b>	mg/preroll	%
	240.44	12.02

<b>Total Cannabinoids</b>	mg/preroll	%
	541.68	27.08

## NOTES

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabigerol (CBG), Cannabigerol Acid (CBGA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromenic Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

