

CERTIFICATE OF ANALYSIS



Customer: Fresh Farm.
151 Kalmus Dr, Suite L3
Costa Mesa, CA 92626

Batch #: -
Laboratory Number: ATL-22122

Report Issue Date: 6/26/2024
Order Date: 6/25/2024
Analysis Date: 6/26/2024

Sample Description:

THCA Pre Roll with Diamond - Space Cadet



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 2g / Pre roll

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	246.740	12.337
CBG-A	<0.008	12.120	0.606
CBG	<0.007	1.060	0.053
CBD	<0.008	8.400	0.420
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	1.140	0.057
CBN	<0.011	N/D	N/D
D9-THC	<0.014	2.340	0.117
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	1.040	0.052
CBC-A	<0.005	11.940	0.597
THC-A	<0.005	213.700	10.685

Max Active THC	mg/preroll	%
	189.75	9.49
Max Active CBD	mg/preroll	%
	224.79	11.24

Total Active Cannabinoids	mg/preroll	%
	438.75	21.94
Total Cannabinoids	mg/preroll	%
	498.48	24.92

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDVA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

