+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

## Memory Lane Old School OG 3G Dispo

Sample ID: SA-240418-38567 Batch: 0001

Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 04/24/2024 Completed: 08/13/2024 Client

Simple Inc 980 W 17th ST Santa Ana, CA 92706

USA





Summary

Test Cannabinoids **Date Tested** 08/13/2024

**Status** Tested

1 of 2

ND Δ9-ΤΗС

70.1 % Δ8-ΤΗС

78.1 % **Total Cannabinoids**  **Not Tested** 

Moisture Content

**Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
СВС	0.0095	0.0284	(70) ND	ND
CBCA	0.0181	0.0543	ND ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.663	6.63
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.186	1.86
Δ4,8-iso-THC	0.0067	0.02	ND	ND
Δ8-iso-THC	0.0067	0.02	0.0754	0.754
Δ8-ΤΗС	0.0104	0.0312	70.1	701
Δ8-ТНСВ	0.0067	0.02	ND	ND
Δ8-ТНСР	0.0067	0.02	0.0584	0.584
Δ8-ΤΗCV	0.0067	0.02	0.146	1.47
Δ9-ΤΗС	0.0076	0.0228	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND
Δ9-ΤΗСΒ	0.0067	0.02	3.79	37.9
Δ9-ΤΗСΡ	0.0067	0.02	3.10	31.0
Δ9-ΤΗCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
Total Δ9-THC			ND	ND
Total			<b>78.1</b>	781

ND = Not Detected, MT 1997 lested; LOD = Limit of Detection; LOQ = Limit of Duantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA

Generated By: Ryan Bellone CCO Date: 08/13/2024


Tested By: Scott Caudill Laboratory Manager Date: 08/13/2024



ISO/IEC 17025:2017 Accredited Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058



2 of 2

## Memory Lane Old School OG 3G Dispo

kca

Sample ID: SA-240418-38567 Batch: 0001 Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Received: 04/24/2024 Completed: 08/13/2024 Client Simple Inc 980 W 17th ST Santa Ana, CA 92706

Generated By: Ryan Bellone CCO

Date: 08/13/2024

