

(954) 515-0200 http://accuratetestlab.com l ic#

1 of 4

Ghost 7gr Slide

Sample ID: 2501AFL0150.0788 Strain: Blueberry Muffin Matrix: Concentrates & Extracts Type: Distillate Unit Weight: 7 g

Internal Lab ID: ATL-26548

Received: 01/28/2025 Completed: 02/10/2025 Batch#: SLBM0004

-26548 /28/25

ST SLIDE 7GR



1038 Arlington Street, Orlando FL 32805

,	Summary
	Test
	Batch Cannabinoids

Microbials

Pesticides



02/03/2025 01/28/2025 02/03/2025 02/05/2025 02/03/2025 02/03/2025

Date Tested

Result Pass Complete Pass Pass Pass Pass Pass


Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Complete

Basic Potency

ND Total THC			ND Total CBD			87.26% Total Cannabinoids		
Analyte	LOQ	Result	Result	Analyte		LOQ	Result	Result
	%	%	mg/unit			%	%	mg/unit
CBDVa	0.01	ND	ND	9S-HHC		0.01	ND	ND
CBDV	0.01	ND	ND	9R-HHC		0.01	ND	ND
CBDa	0.01	ND	ND	∆9-THCH		0.01	4.38	306.5
CBGa	0.01	ND	ND	∆8-THCH		0.01	ND	ND
CBG	0.01	ND	ND	∆9-THCP		0.01	5.74	402.0
CBD	0.01	ND	ND	∆8-THCP		0.01	ND	ND
THCV	0.01	ND	ND	∆8-THCO		0.01	ND	ND
Δ8-THCV	0.00	ND	ND	∆9-THCO		0.01	ND	ND
THCVa	0.01	ND	ND	9(S)-HHCP		0.01	ND	ND
CBN	0.01	<loq< td=""><td><loq< td=""><td>9(R)-HHCP</td><td></td><td>0.01</td><td>ND</td><td>ND</td></loq<></td></loq<>	<loq< td=""><td>9(R)-HHCP</td><td></td><td>0.01</td><td>ND</td><td>ND</td></loq<>	9(R)-HHCP		0.01	ND	ND
Δ9-THC	0.01	ND	ND	11-Hydroxy-THC		0.01	ND	ND
∆8-THC	0.01	ND	ND	1(S)-H4-CBD		0.01	ND	ND
(6aR,9S)-d10-THC	0.01	4.04	282.7	1(R)-H4-CBD		0.03	ND	ND
(6aR,9R)-d10-THC	0.00	73.10	5116.9	Δ9-THCB	Α	0.00	ND	ND
CBC	0.01	ND	ND	∆8-THCB		0.01	ND	ND
CBCa	0.01	ND 🛀	ND	CBDp		0.01	ND	ND
THCa	0.01	ND	ND	Total			87.26	6108.0

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 02/03/2025





(954) 515-0200 http://accuratetestlab.com Lic#

2 of 4

Pass

Ghost 7gr Slide

Sample ID: 2501AFL0150.0788	Int
Strain: Blueberry Muffin	
Matrix: Concentrates & Extracts	Re
Type: Distillate	Co
Unit Weight: 7 g	Ba

ternal Lab ID: ATL-26548

ceived: 01/28/2025 ompleted: 02/10/2025 atch#: SLBM0004

Honest PPD Lic.#

Client

1038 Arlington Street, Orlando FL 32805

Pesticides

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Acephate	100.0	ND	Pass	Fipronil	100.0	ND	Pass
Acequinocyl	100.0	ND	Pass	Fludioxonil	100.0	ND	Pass
Azoxystrobin	100.0	ND	Pass	Imazalil	100.0	ND	Pass
Bifenazate	100.0	NR	NT	Kresoxim Methyl	100.0	ND	Pass
Bifenthrin	100.0	ND	Pass	Malathion	200.0	ND	Pass
Boscalid	100.0	ND	Pass	Metalaxyl	100.0	ND	Pass
Captan	700.0	ND	Pass	Methiocarb	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Mevinphos	100.0	ND	Pass
Carbofuran	100.0	ND	Pass	Myclobutanil	1.000	ND	Pass
Chlorantraniliprole	1000	ND	Pass	Naled	250.00	ND	Pass
Chlordane	100.0	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Pentachloronitrobenzene	150.00	ND	Pass
Clofentezine	200.0	ND	Pass	Permethrin	100.0	NR	NT
Coumaphos	100.0	ND	Pass	Phosmet	100.0	NR	NT
Cyfluthrin	500.0	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cypermethrin	500.0	ND	Pass	Propiconazole	100.0	ND	Pass
Diazinon	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyrethrins	500.0	NR	NT
Dimethoate	100.0	ND	Pass	Pyridaben	200.0	ND	Pass
Dimethomorph	200.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Ethoprophos	100.0	ND	Pass	Tebuconazole	100.0	ND	Pass
Etofenprox	100.0	ND	Pass	Thiamethoxam	500.0	ND	Pass
Etoxazole	100.0	ND	Pass	Trifloxystrobin	100.0	ND	Pass
Fenoxycarb	100.0	ND	Pass				

Date Tested: 02/05/2025 Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)

-

9



Paulo Gonzalez Laboratory Manager 02/10/2025

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com





(954) 515-0200 http://accuratetestlab.com l ic#

3 of 4

Pass

Ghost 7gr Slide

Sample ID: 2501AFL0150.0788	Internal Lab ID: ATL-26548	Client
Strain: Blueberry Muffin		Honest PPD
Matrix: Concentrates & Extracts	Received: 01/28/2025	Lic.#
Type: Distillate	Completed: 02/10/2025	1038 Arlington Street, Orla
Unit Weight: 7 g	Batch#: SLBM0004	

ando FL 32805

Microbials

Analyte		LOD	Result	Status
	CI	=U/g	CFU/g	
Aerobic Bacteria		10	NR	NT
Aspergillus		1	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli		1	Not Detected in 1g	Pass
Enterobacteriaceae		10	NR	NT
Salmonella		1	Not Detected in 1g	Pass
Staphylococcus aureus		10	NR	NT
Yeast & Mold		10	ND	Pass

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022 Date Tested: 02/03/2025 Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Foreign Matter				Pass
Analyte		Limit	Result	Status
	% by w	eight	% by weight	
Packaging Contaminants		0.01	ND	Pass
Insects		0.01	ND	Pass
Feces	C	0.005	ND	Pass
Mold		0.01	ND	Pass
FM Other			ND	Pass
Hair		0.01	ND	Pass

Document ID:

Date Tested: 02/03/2025 Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals	T	E	S	T		B	Pass
Analyte			\sim	LOQ	Limit	Result	Status
				µg/g	µg/g	µg/g	
Arsenic				100	1500	ND	Pass
Cadmium				100	500	ND	Pass
Lead				100	500	ND	Pass
Mercury				100	3000	ND	Pass

Date Tested: 02/03/2025

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.034.



Paulo Gonzalez Laboratory Manager 02/10/2025

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com





(954) 515-0200 http://accuratetestlab.com Lic#

4 of 4

Pass

Ghost 7gr Slide

Sample ID: 2501AFL0150.0788
Strain: Blueberry Muffin
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 7 g

Internal Lab ID: ATL-26548

Received: 01/28/2025 Completed: 02/10/2025 Batch#: SLBM0004

Client Honest PPD

Lic.#

1038 Arlington Street, Orlando FL 32805

Residual Solvents

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Chloroform	0.2	2	ND	Pass
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl Ether	40	500	ND	Pass
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	<40.000	Pass
Isopropanol	40	500	ND	Pass
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	<10.000	Pass
Butane	71	5000	ND	Pass
Hexane	5 59	250	ND	Pass
Pentane	59	750	ND	Pass
Propane	165	5000	ND	Pass
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass



Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022 Date Tested: 01/28/2025 Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez

Laboratory Manager 02/10/2025

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

