

(954) 515-0200 http://accuratetestlab.com Lic#

1 of 4

### **Ghost 7gr Slide**

Sample ID: 2501AFL0150.0784 Strain: Grape Ape Matrix: Concentrates & Extracts Type: Distillate Unit Weight: 7 g

#### Internal Lab ID: ATL-26544

Received: 01/28/2025 Completed: 02/10/2025 Batch#: SLGA0004

Client Honest PPD Lic.# 1038 Arlington Street, Orlando FL 32805

#### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 02/03/2025  | Complete |
| Residual Solvents | 01/28/2025  | Pass     |
| Microbials        | 02/03/2025  | Pass     |
| Pesticides        | 02/05/2025  | Pass     |
| Heavy Metals      | 02/03/2025  | Pass     |
| Foreign Matter    | 02/03/2025  | Pass     |
|                   |             |          |


Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

#### Complete

## **Basic Potency**

|                  | <b>ND</b><br>Total THC |   | ND<br>Total CBD   |                |   | <b>87.90%</b><br>Total Cannabinoids |        | s       |
|------------------|------------------------|---|---|----------------|---|-------------------------------------|--------|---------|
| Analyte          | LOQ                    | Result  | Result  | Analyte        |   | LOQ                                 | Result | Result  |
|                  | %                      | %   | mg/unit   |                |   | %                                   | %      | mg/unit |
| CBDVa            | 0.01                   | ND  | ND  | 9S-HHC         |   | 0.01                                | ND     | ND      |
| CBDV             | 0.01                   | ND  | ND  | 9R-HHC         |   | 0.01                                | ND     | ND      |
| CBDa             | 0.01                   | ND  | ND  | ∆9-THCH        |   | 0.01                                | 4.51   | 316.0   |
| CBGa             | 0.01                   | ND  | ND  | ∆8-THCH        |   | 0.01                                | ND     | ND      |
| CBG              | 0.01                   | ND  | ND  | ∆9-THCP        |   | 0.01                                | 5.71   | 399.7   |
| CBD              | 0.01                   | ND  | ND  | ∆8-THCP        |   | 0.01                                | ND     | ND      |
| THCV             | 0.01                   | ND  | ND  | ∆8-THCO        |   | 0.01                                | ND     | ND      |
| Δ8-THCV          | 0.00                   | ND  | ND  | ∆9-THCO        |   | 0.01                                | ND     | ND      |
| THCVa            | 0.01                   | ND  | ND  | 9(S)-HHCP      |   | 0.01                                | ND     | ND      |
| CBN              | 0.01                   | <loq< td=""><td><loq< td=""><td>9(R)-HHCP</td><td></td><td>0.01</td><td>ND</td><td>ND</td></loq<></td></loq<> | <loq< td=""><td>9(R)-HHCP</td><td></td><td>0.01</td><td>ND</td><td>ND</td></loq<> | 9(R)-HHCP      |   | 0.01                                | ND     | ND      |
| Δ9-THC           | 0.01                   | ND  | ND  | 11-Hydroxy-THC |   | 0.01                                | ND     | ND      |
| Δ8-THC           | 0.01                   | ND  | ND  | 1(S)-H4-CBD    |   | 0.01                                | ND     | ND      |
| (6aR,9S)-d10-THC | 0.01                   | 3.98  | 278.4   | 1(R)-H4-CBD    |   | 0.03                                | ND     | ND      |
| (6aR,9R)-d10-THC | 0.00                   | 73.70   | 5158.7  | ∆9-THCB        | Α | 0.00                                | ND     | ND      |
| CBC              | 0.01                   | ND  | ND  | ∆8-THCB        |   | 0.01                                | ND     | ND      |
| CBCa             | 0.01                   | ND 💛  | ND  | CBDp           |   | 0.01                                | ND     | ND      |
| THCa             | 0.01                   | ND  | ND  | Total          |   |                                     | 87.90  | 6152.9  |

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 02/03/2025







(954) 515-0200 http://accuratetestlab.com Lic#

2 of 4

Pass

# Ghost 7gr Slide

| Sample ID: 2501AFL0150.0784     | Internal Lab ID: ATL-26544 |
|---------------------------------|----------------------------|
| Strain: Grape Ape               |                            |
| Matrix: Concentrates & Extracts | Received: 01/28/2025       |
| Type: Distillate                | Completed: 02/10/2025      |
| Unit Weight: 7 g                | Batch#: SLGA0004           |
|                                 |                            |

Client Honest PPD Lic.#

1038 Arlington Street, Orlando FL 32805

### Pesticides

| Analyte             | Limit | Result | Status | Analyte                 | Limit  | Result | Status |
|---------------------|-------|--------|--------|-------------------------|--------|--------|--------|
|                     | PPB   | PPB    |        |                         | PPB    | PPB    |        |
| Acephate            | 100.0 | ND     | Pass   | Fipronil                | 100.0  | ND     | Pass   |
| Acequinocyl         | 100.0 | ND     | Pass   | Fludioxonil             | 100.0  | ND     | Pass   |
| Azoxystrobin        | 100.0 | ND     | Pass   | Imazalil                | 100.0  | ND     | Pass   |
| Bifenazate          | 100.0 | NR     | NT     | Kresoxim Methyl         | 100.0  | ND     | Pass   |
| Bifenthrin          | 100.0 | ND     | Pass   | Malathion               | 200.0  | ND     | Pass   |
| Boscalid            | 100.0 | ND     | Pass   | Metalaxyl               | 100.0  | ND     | Pass   |
| Captan              | 700.0 | ND     | Pass   | Methiocarb              | 100.0  | ND     | Pass   |
| Carbaryl            | 500.0 | ND     | Pass   | Mevinphos               | 100.0  | ND     | Pass   |
| Carbofuran          | 100.0 | ND     | Pass   | Myclobutanil            | 1.000  | ND     | Pass   |
| Chlorantraniliprole | 1000  | ND     | Pass   | Naled                   | 250.00 | ND     | Pass   |
| Chlordane           | 100.0 | ND     | Pass   | Paclobutrazol           | 100.0  | ND     | Pass   |
| Chlorfenapyr        | 100.0 | ND     | Pass   | Parathion Methyl        | 100.0  | ND     | Pass   |
| Chlorpyrifos        | 100.0 | ND     | Pass   | Pentachloronitrobenzene | 150.00 | ND     | Pass   |
| Clofentezine        | 200.0 | ND     | Pass   | Permethrin              | 100.0  | NR     | NT     |
| Coumaphos           | 100.0 | ND     | Pass   | Phosmet                 | 100.0  | NR     | NT     |
| Cyfluthrin          | 500.0 | ND     | Pass   | Piperonyl Butoxide      | 3000   | ND     | Pass   |
| Cypermethrin        | 500.0 | ND     | Pass   | Propiconazole           | 100.0  | ND     | Pass   |
| Diazinon            | 100.0 | ND     | Pass   | Propoxur                | 100.0  | ND     | Pass   |
| Dichlorvos          | 100.0 | ND     | Pass   | Pyrethrins              | 500.0  | NR     | NT     |
| Dimethoate          | 100.0 | ND     | Pass   | Pyridaben               | 200.0  | ND     | Pass   |
| Dimethomorph        | 200.0 | ND     | Pass   | Spiroxamine             | 100.0  | ND     | Pass   |
| Ethoprophos         | 100.0 | ND     | Pass   | Tebuconazole            | 100.0  | ND     | Pass   |
| Etofenprox          | 100.0 | ND     | Pass   | Thiamethoxam            | 500.0  | ND     | Pass   |
| Etoxazole           | 100.0 | ND     | Pass   | Trifloxystrobin         | 100.0  | ND     | Pass   |
| Fenoxycarb          | 100.0 | ND     | Pass   |                         |        |        |        |

Date Tested: 02/05/2025 Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)

-

S



Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Paulo Gonzalez Laboratory Manager 02/10/2025



(954) 515-0200 http://accuratetestlab.com l ic#

3 of 4

Pass

## **Ghost 7gr Slide**

| Sample ID: 2501AFL0150.0784     | Internal Lab ID: ATL-26544 | Client                                  |
|---------------------------------|----------------------------|---|
| Strain: Grape Ape               |                            | Honest PPD                              |
| Matrix: Concentrates & Extracts | Received: 01/28/2025       | Lic. #                                  |
| Type: Distillate                | Completed: 02/10/2025      | 1038 Arlington Street, Orlando FL 32805 |
| Unit Weight: 7 g                | Batch#: SLGA0004           |   |
|                                 |                            |   |

#### **Microbials**

| LOD   | Result                                 | Status   |
|-------|--|--|
| CFU/g | CFU/g                                  |  |
| 10    | NR                                     | NT   |
| 1     | Not Detected in 1g                     | Pass   |
| 1     | Not Detected in 1g                     | Pass   |
| 10    | NR                                     | NT   |
| 1     | Not Detected in 1g                     | Pass   |
| 10    | NR                                     | NT   |
| 10    | ND                                     | Pass   |
|       | CFU/g<br>10<br>1<br>1<br>10<br>1<br>10 | CFU/g CFU/g<br>10 NR<br>1 Not Detected in 1g<br>1 Not Detected in 1g<br>10 NR<br>1 Not Detected in 1g<br>10 NR |

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022 Date Tested: 02/03/2025 Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

### **Foreign Matter**

| Foreign Matter         |        |       |             | Pass   |
|------------------------|--------|-------|-------------|--------|
| Analyte                |        | Limit | Result      | Status |
|                        | % by w | eight | % by weight |        |
| Packaging Contaminants |        | 0.01  | ND          | Pass   |
| Insects                |        | 0.01  | ND          | Pass   |
| Feces                  | C      | 0.005 | ND          | Pass   |
| Mold                   |        | 0.01  | ND          | Pass   |
| FM Other               |        |       | ND          | Pass   |
| Hair                   |        | 0.01  | ND          | Pass   |
|                        |        |       |             |        |

Document ID:

Date Tested: 02/03/2025 Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

| Heavy Metals | - T | E. | S      | T.   |       | B      | Pass   |
|--------------|-----|----|--------|------|-------|--------|--------|
| Analyte      |     | -  | $\sim$ | LOQ  | Limit | Result | Status |
|              |     |    |        | µg/g | µg/g  | µg/g   |        |
| Arsenic      |     |    |        | 100  | 1500  | ND     | Pass   |
| Cadmium      |     |    |        | 100  | 500   | ND     | Pass   |
| Lead         |     |    |        | 100  | 500   | ND     | Pass   |
| Mercury      |     |    |        | 100  | 3000  | ND     | Pass   |

#### Date Tested: 02/03/2025

Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.034.



Paulo Gonzalez Laboratory Manager 02/10/2025

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com





(954) 515-0200 http://accuratetestlab.com Lic#

4 of 4

Pass

# **Ghost 7gr Slide**

| Sample ID: 2501AFL0150.0784     | Internal Lab ID: ATL-265 |  |  |
|---------------------------------|--------------------------|--|--|
| Strain: Grape Ape               |                          |  |  |
| Matrix: Concentrates & Extracts | Received: 01/28/2025     |  |  |
| Type: Distillate                | Completed: 02/10/2025    |  |  |
| Unit Weight: 7 g                | Batch#: SLGA0004         |  |  |
|                                 |                          |  |  |

b ID: ATL-26544 01/28/2025

Client

Honest PPD Lic.#

1038 Arlington Street, Orlando FL 32805

### **Residual Solvents**

| Analyte             | LOQ     | Limit | Result  | Status |
|---------------------|---------|-------|---------|--------|
|                     | µg/g    | µg/g  | µg/g    |        |
| 1,1 Dichloroethene  | 0.7     | 8     | ND      | Pass   |
| Ethylene Dichloride | 0.2     | 2     | ND      | Pass   |
| Acetone             | 59      | 750   | ND      | Pass   |
| Acetonitrile        | 5       | 60    | ND      | Pass   |
| Benzene             | 0.08    | 1     | ND      | Pass   |
| Chloroform          | 0.2     | 2     | ND      | Pass   |
| Ethanol             | 79      | 5000  | ND      | Pass   |
| Ethyl Acetate       | 20      | 400   | ND      | Pass   |
| Ethyl Ether         | 40      | 500   | ND      | Pass   |
| Ethylene Oxide      | 0.4     | 5     | ND      | Pass   |
| Heptane             | 40      | 5000  | <40.000 | Pass   |
| Isopropanol         | 40      | 500   | ND      | Pass   |
| Methanol            | 20      | 250   | ND      | Pass   |
| Methylene Chloride  | 10      | 125   | <10.000 | Pass   |
| Butane              | 71      | 5000  | ND      | Pass   |
| Hexane              | 5<br>59 | 250   | ND      | Pass   |
| Pentane             | 59      | 750   | ND      | Pass   |
| Propane             | 165     | 5000  | ND      | Pass   |
| Toluene             | 12      | 150   | ND      | Pass   |
| Trichloroethene     | 2       | 25    | ND      | Pass   |
| Xylenes             | 12      | 150   | ND      | Pass   |



Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022 Date Tested: 01/28/2025 Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez

Laboratory Manager 02/10/2025

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

