Ghost 7gr Slide

Sample ID: 2501AFL0150.0787

Strain: Hulk Berry

Matrix: Concentrates & Extracts

Type: Distillate Unit Weight: 7 g Internal Lab ID: ATL-26547

Received: 01/28/2025 Completed: 02/10/2025


Batch#: SLHB0004

Client

Honest PPD

Lic.#

1038 Arlington Street, Orlando FL 32805



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/03/2025	Complete
Residual Solvents	01/28/2025	Pass
Microbials	02/03/2025	Pass
Pesticides	02/05/2025	Pass
Heavy Metals	02/03/2025	Pass
Foreign Matter	02/03/2025	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Basic Potency Complete

ND
Total THC

ND Total CBD

87.75%Total Cannabinoids

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.01	ND	ND	9S-HHC	0.01	ND	ND
CBDV	0.01	ND	ND	9R-HHC	0.01	ND	ND
CBDa	0.01	ND	ND	Δ9-THCH	0.01	4.37	306.1
CBGa	0.01	ND	ND	Δ8-THCH	0.01	ND	ND
CBG	0.01	ND	ND	Δ9-ΤΗСΡ	0.01	5.78	404.8
CBD	0.01	ND	ND	Δ8-THCP	0.01	ND	ND
THCV	0.01	ND	ND	Δ8-ΤΗCΟ	0.01	ND	ND
Δ8-THCV	0.00	ND	ND	Δ9-ΤΗCΟ	0.01	ND	ND
THCVa	0.01	ND	ND	9(S)-HHCP	0.01	ND	ND
CBN	0.01	<loq< th=""><th><loq< th=""><th>9(R)-HHCP</th><th>0.01</th><th>ND</th><th>ND</th></loq<></th></loq<>	<loq< th=""><th>9(R)-HHCP</th><th>0.01</th><th>ND</th><th>ND</th></loq<>	9(R)-HHCP	0.01	ND	ND
Δ9-ΤΗС	0.01	ND	ND	11-Hydroxy-THC	0.01	ND	ND
Δ8-ΤΗС	0.01	ND	ND	1(S)-H4-CBD	0.01	ND	ND
(6aR,9S)-d10-THC	0.01	4.06	284.5	1(R)-H4-CBD	0.03	ND	ND
(6aR,9R)-d10-THC	0.00	73.53	5147.1	Δ9-THCB	0.00	ND	ND
CBC	0.01	ND	ND	Δ8-THCB	0.01	ND	ND
CBCa	0.01	ND	ND	CBDp	0.01	ND	ND
THCa	0.01	ND	ND	Total		87.75	6142.6

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 02/03/2025

NT Not Tested

Moisture Content

NT Not Tested

Water Activity

Pass

Foreign Matter





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



2 of 4



Accurate Test Labs 1305 NW 65th PI Fort Lauderdale, FL 33309

(954) 515-0200 http://accuratetestlab.com Lic#

Ghost 7gr Slide

Sample ID: 2501AFL0150.0787

Strain: Hulk Berry

Matrix: Concentrates & Extracts

Type: Distillate Unit Weight: 7 g Internal Lab ID: ATL-26547

Received: 01/28/2025

Completed: 02/10/2025 Batch#: SLHB0004

Client

Honest PPD

Lic.#

1038 Arlington Street, Orlando FL 32805

Pesticides Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	<u>.</u>
Acephate	100.0	ND	Pass	Fipronil	100.0	ND	Pass
Acequinocyl	100.0	ND	Pass	Fludioxonil	100.0	ND	Pass
Azoxystrobin	100.0	ND	Pass	lmazalil	100.0	ND	Pass
Bifenazate	100.0	NR	NT	Kresoxim Methyl	100.0	ND	Pass
Bifenthrin	100.0	ND	Pass	Malathion	200.0	ND	Pass
Boscalid	100.0	ND	Pass	Metalaxyl	100.0	ND	Pass
Captan	700.0	ND	Pass	Methiocarb	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Mevinphos	100.0	ND	Pass
Carbofuran	100.0	ND	Pass	Myclobutanil	1.000	ND	Pass
Chlorantraniliprole	1000	ND	Pass	Naled	250.00	ND	Pass
Chlordane	100.0	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Pentachloronitrobenzene	150.00	ND	Pass
Clofentezine	200.0	ND	Pass	Permethrin	100.0	NR	NT
Coumaphos	100.0	ND	Pass	Phosmet	100.0	NR	NT
Cyfluthrin	500.0	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cypermethrin	500.0	ND	Pass	Propiconazole	100.0	ND	Pass
Diazinon	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyrethrins	500.0	NR	NT
Dimethoate	100.0	ND	Pass	Pyridaben	200.0	ND	Pass
Dimethomorph	200.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Ethoprophos	100.0	ND	Pass	Tebuconazole	100.0	ND	Pass
Etofenprox	100.0	ND	Pass	Thiamethoxam	500.0	ND	Pass
Etoxazole	100.0	ND	Pass	Trifloxystrobin	100.0	ND	Pass
Fenoxycarb	100.0	ND	Pass				

Date Tested: 02/05/2025 Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)









3 of 4

Accurate Test Labs 1305 NW 65th Pl Fort Lauderdale, FL 33309 (954) 515-0200 http://accuratetestlab.com Lic#

Ghost 7gr Slide

Sample ID: 2501AFL0150.0787 Matrix: Concentrates & Extracts Internal Lab ID: ATL-26547

Client

Strain: Hulk Berry

Received: 01/28/2025

Honest PPD

Type: Distillate Unit Weight: 7 g Completed: 02/10/2025 Batch#: SLHB0004

Lic.#

1038 Arlington Street, Orlando FL 32805

Microbials

Pass

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	NR	NT
Aspergillus	1	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	1	Not Detected in 1g	Pass
Enterobacteriaceae	10	NR	NT
Salmonella	1	Not Detected in 1g	Pass
Staphylococcus aureus	10	NR	NT
Yeast & Mold	10	ND	Pass

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022 Date Tested: 02/03/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Packaging Contaminants	0.01	ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID:

Date Tested: 02/03/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals	T	F	S	Т		R	Pass
Analyte)	LOQ	Limit	Result	Status
				µg/g	μg/g	μg/g	_
Arsenic				100	1500	ND	Pass
Cadmium				100	500	ND	Pass
Lead				100	500	ND	Pass
Mercury				100	3000	ND	Pass

Date Tested: 02/03/2025

Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.034.





Confident LIMS All Rights Reserved coa. support@confident lims.com(866) 506-5866 www.confidentlims.com



4 of 4

Accurate Test Labs 1305 NW 65th PI Fort Lauderdale, FL 33309

(954) 515-0200 http://accuratetestlab.com Lic#

Ghost 7gr Slide

Sample ID: 2501AFL0150.0787

Strain: Hulk Berry

Matrix: Concentrates & Extracts

Type: Distillate Unit Weight: 7 g Internal Lab ID: ATL-26547

Received: 01/28/2025 Completed: 02/10/2025

Batch#: SLHB0004

Client

Honest PPD

Lic.#

1038 Arlington Street, Orlando FL 32805

Residual Solvents				Pass
Analyte	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Chloroform	0.2	2	ND	Pass
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl Ether	40	500	ND	Pass
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	<40.000	Pass
Isopropanol	40	500	ND	Pass
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	<10.000	Pass
Butane	71	5000	ND	Pass
Hexane	5 59	250	ND	Pass
Pentane	59	750	ND	Pass
Propane	165	5000	ND	Pass
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass



Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022 Date Tested: 01/28/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001





Confident LIMS All Rights Reserved coa. support@confident lims.com(866) 506-5866 www.confidentlims.com

